


STAFFORD SOIMA

TOWER CRANES

SGT 4010TL

Data Sheet / Catalogo / Fiche Technique / Scheda Dati / Dentenblatt / техническая спецификация

Metric / Métrico / Métrique / Metrico / Metrisch / метрика



Headquarters

3620 S. 40th Street, Phoenix, AZ, 85040 USA
+1 (480) 993 3302


Factory


Zona Industrial de Canas de Senhorim - EN 234, 3525-040 Canas de Senhorim - Portugal
+351 232 673 530 ✉ info@staffordsoima.com




www.staffordsoima.com




Empresa certificada no âmbito da Conceção, Fabrico e Serviço Pós-venda de Gruas Soima e componentes

















 m			2500kg	10	14	18	23	30	35	40	m
40	10000kg 4x2000kg + 2x1000kg	18,2	2500	2500	2500	2500	2090	1540	1210	1100	kg
35	9000kg 4x2000kg + 1x1000kg	21,0	2500	2500	2500	2500	2420	1760	1540		
30	8000kg 3x2000kg + 2x1000kg	20,2	2500	2500	2500	2500	2310	1760			
23	5000kg 2x2000kg + 1x1000kg	17,1	2500	2500	2500	2500	1980				
18	5000kg 2x2000kg + 1x1000kg	14,7	2500	2500	2500	2200					
		m									



			A (mm)	B (mm)	C (mm)	kg (±5%)
Jib / Lança / Fleche / Braccio / Ausleger / кливер		L41	11860	1350	1850	2400
		L42	11820	1160	1210	820
		L43	5100	1160	1210	260
		L44	5100	1160	1210	230
		L45	6800	1160	1210	290
Head turntable		RS3 RI3	2130	1310	1830	2120
Counter-jib / Contra lança / Contre-flèche		CL2	7260	1220	500	1370
Counterweight / Contrapeso / Contrepoids / Gegengewicht / Противовес		CP2	1160	330	3140	4x2000 8000
		CP3	1160	165	3140	2x1000 2000
Tower section / torre / Coupe tour / Sezione torre / Turmabschnitt / Секция башни		A3	11985	1180	1180	2450
		A3	6075	1180	1180	1300
		A3	3120	1180	1180	720
Climbing tower section		A3	3120	1385	1380	810
Foundation anchor / Tramo encastrar /		A3	1200	1160	1160	350
Base Chassis		A3	5525	500	635	1075
			2670	360	635	2x535 1070
TOTAL						2145
Base Chassis		A3s	4135	500	635	835
			2025	360	635	2x390 780
TOTAL						1615


		
	0 a 1 r.p.m.	5 daN.m
	0 a 50 m/min	1,5 kVA
	15 m/min	2x3 kW



Max height of hoist

 (H)Max. 88m + 


Transport / Transporte / Transport / Trasporto / Transport / Транспорт




STAFFORD SOIMA
TOWER CRANES

SGT 4010TL

1




3xA3-12m-L42-R13-RS3




3xA3-12m-L42-R13-RS3

2




CL2-1xCH1-2xCH2-L41-L43-L45




CL2-1xCH1-2xCH2-L41-L43-L45

3



L44xCP2-2xCP3




L44xCP2-2xCP3



[illegible]

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings visible.



STAFFORD SOIMA

TOWER CRANES

STAFFORD SOIMA, SA

Headquarters

📍 3620 S. 40th Street , Phoenix , AZ, 85040 USA
📞 +1 (480) 993 3302

Factory

📍 Zona Industrial de Canas de Senhorim - EN 234, 3525-040 Canas de Senhorim - Portugal
📞 +351 232 673 530 ✉ info@staffordsoima.com

🌐 staffordsoima.com